BACK PRESSURE REGULATOR



• Gas Liquid

Diaphragm Piston

Self-Venting

Non-Venting

Max Rating: 10 bar (145 psi)

Control Range: 5 bar (75 psi)

Cv 0.1



INTRODUCING THE BP010...

The BP010 is an elastomeric diaphragm-sensed back pressure regulator, offering sensitive control.

Featuring a spring-loaded design, the BP010 offers a bolted bonnet for simplified servicing through its top access. In addition, its threaded bonnet comes as standard for optional panel mounting.

A sub-atmospheric version is also available which can be used to control a negative pressure upstream of the regulator - please ask for details.

SPECIFICATION

| Max. Rating | 10 bar (145 psi) |
|-----------------------|----------------------------------|
| Control Range | Up to 5 bar (75 psi) |
| Design Proof Pressure | 150% max. working pressure |
| Seat Leakage | In accordance with ANSI/FCI 70-3 |
| Weight | 1kg (2.2lbs) |

STANDARD MATERIALS OF CONSTRUCTION

| PART | MATERIALS |
|-----------------|--|
| Body and Bonnet | ASTM A479 316/316L Stainless Steel (UNS S31600/S31603) |
| Main Valve Pin | ASTM A479 316/316L Stainless Steel |
| Soft Seat | PCTFE (Kel-F) |
| Diaphragm | PTFE-Lined Elastomeric |
| Handwheel | Nylon |
| O-Rings | FKM/FPM (Viton) |
| Loading Spring | ASTM A240 301 Stainless Steel (UNS S30100) |

Note: Pressure regulator rating may be limited by connection type, Cv and/or seat material. Contact the office for specific pressure or temperature requirements.

FEATURES AND BENEFITS

ELASTOMERIC DIAPHRAGM-SENSED DESIGN

> For sensitive pressure control.

TEFLON™ LINED 2 DIAPHRAGM

> Offers a good chemical resistance.

BOLTED BONNET

Simplified servicing through top access. 316SS THREADED **BONNET**

> For panel mounting option as standard.

NOTE: Product availability and specifications contained herein are subject to change without notice. Consult local distributor or factory for potential revisions and/or service related issues. Pressure Tech Ltd support with product selection recommendations only - it is the users responsibility to ensure the product is suitable for their specific application requirements





PRESSURE TECH LTD

Unit 24, Graphite Way, Hadfield, Glossop, Derbyshire, UK, SK13 1QH

+44 (0)1457 899 307

E sales@pressure-tech.com W www.pressure-tech.com

BACK PRESSURE REGULATOR



• Gas Liquid

Diaphragm Piston



Non-Venting


Max Rating: 10 bar (145 psi)


Control Range: 5 bar (75 psi)


Cv 0.1

DRAWINGS AND INSTALLATION DIMENSIONS

Dimensions shown for 1/4" NPT option and standard configurations only - please contact the office for other options.







All gauge ports are 1/4" NPT as standard.

NOTE: Product availability and specifications contained herein are subject to change without notice. Consult local distributor or factory for potential revisions and/or service related issues. Pressure Tech Ltd support with product selection recommendations only - it is the users responsibility to ensure the product is suitable for their specific application requirements





PRESSURE TECH LTD

Unit 24, Graphite Way, Hadfield, Glossop, Derbyshire, UK, SK13 1QH

- +44 (0)1457 899 307
- sales@pressure-tech.com W www.pressure-tech.com

BACK PRESSURE REGULATOR



● Gas Liquid

• Diaphragm • Piston

Self-Venting

Non-Venting

Max Rating: 10 bar (145 psi)


Control Range: 5 bar (75 psi)

Cv 0.1

FLOW CURVE

Please contact the office for further information.

PORTING CONFIGURATIONS



Note:

Additional porting configurations are available - please contact the office for further information.

NOTE: Product availability and specifications contained herein are subject to change without notice. Consult local distributor or factory for potential revisions and/or service related issues. Pressure Tech Ltd support with product selection recommendations only - it is the users responsibility to ensure the product is suitable for their specific application requirements.



PRESSURE TECH LTD

Unit 24, Graphite Way, Hadfield, Glossop, Derbyshire, UK, SK13 1QH



E sales@pressure-tech.com W www.pressure-tech.com



BACK PRESSURE REGULATOR



• Gas Liquid

• Diaphragm • Piston

Self- Non-Venting


Max Rating: 10 bar (145 psi)

Control Range: 5 bar (75 psi)

Cv 0.1

ORDERING INFORMATION

To build a Pressure Tech part number, simply combine the characters identified below in sequence:



| | PART NUMBER | DESCRIPTION | |
|---------------------|-------------|----------------------------------|--|
| Service Kit | SRK-BP010 | Various options available | |
| Panel Mounting Ring | PT-C-024 | Stainless Steel panel mount ring | |

NOTE: Product availability and specifications contained herein are subject to change without notice. Consult local distributor or factory for potential revisions and/or service related issues. Pressure Tech Ltd support with product selection recommendations only - it is the users responsibility to ensure the product is suitable for their specific application requirements.







Unit 24, Graphite Way, Hadfield, Glossop, Derbyshire, UK, SK13 1QH

- T +44 (0)1457 899 307
- E sales@pressure-tech.com W www.pressure-tech.com



^{*} Where applicable

^{**} Other materials/connections may be available