



IECEX Certificate of Conformity

INTERNATIONAL ELECTROTECHNICAL COMMISSION IEC Certification Scheme for Explosive Atmospheres

for rules and details of the IECEx Scheme visit www.iecex.com

Certificate No.: **IECEX SIR 15.0078X** issue No.: **0** Certificate history: **.....**

Status: **Current**

Date of Issue: **2015-08-25** Page 1 of 3

Applicant: **Pressure Tech Limited**
Unit 24 Graphite Way
Hadfield
Glossop
Derbyshire SK13 1QH
United Kingdom

Electrical Apparatus: **Heated Regulator Assembly, XHR-300, XHR-301, XHR-310 and XHR-311**
Optional accessory:

Type of Protection: **Flameproof**

Marking: **Ex db IIC T3**
Ta = -40°C to +60°C

Approved for issue on behalf of the IECEx Certification Body: **A C Smith**

Position: **Certification Manager**

Signature:
(for printed version)

Date:

2015-08-25

1. This certificate and schedule may only be reproduced in full.
2. This certificate is not transferable and remains the property of the issuing body.
3. The Status and authenticity of this certificate may be verified by visiting the [Official IECEx Website](http://www.iecex.com).

Certificate issued by:

SIRA Certification Service
CSA Group
Unit 6, Hawarden Industrial Park
Hawarden
Deeside
CH5 3US
United Kingdom

sira
CERTIFICATION



**CSA
Group**



IECEx Certificate of Conformity

Certificate No.: IECEx SIR 15.0078X

Date of Issue: 2015-08-25

Issue No.: 0

Page 2 of 3

Manufacturer: **Pressure Tech Limited**
Unit 24 Graphite Way
Hadfield
Glossop
Derbyshire SK13 1QH
United Kingdom

Additional Manufacturing location
(s):

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEx Quality system requirements. This certificate is granted subject to the conditions as set out in IECEx Scheme Rules, IECEx 02 and Operational Documents as amended.

STANDARDS:

The electrical apparatus and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards:

IEC 60079-0 : 2011 Explosive atmospheres - Part 0: General requirements
Edition: 6.0

IEC 60079-1 : 2014-06 Explosive atmospheres - Part 1: Equipment protection by flameproof enclosures "d"
Edition: 7.0

*This Certificate **does not** indicate compliance with electrical safety and performance requirements other than those expressly included in the Standards listed above.*

TEST & ASSESSMENT REPORTS:

A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in

Test Report:

[GB/SIR/ExTR15.0223/00](#)

Quality Assessment Report:

[GB/SIR/QAR09.0005/04](#)



IECEX Certificate of Conformity

Certificate No.: IECEX SIR 15.0078X

Date of Issue: 2015-08-25

Issue No.: 0

Page 3 of 3

Schedule

EQUIPMENT:

Equipment and systems covered by this certificate are as follows:

The Heated Regulator Assembly whether XHR-300, XHR-301, XHR-310 or XHR311 comprises of three main parts: a flameproof, cast aluminium enclosure manufactured by Cor.Tem and certified II, 2, G, EEx d IIC, certificate number IECEX CES 14.0012U, heater cartridges (probes) and a pressure regulator manufactured in stainless steel.

Refer to ANNEXE for additional description and Conditions of Manufacture.

CONDITIONS OF CERTIFICATION: YES as shown below:

The user/installer shall comply with the following:


1. The user shall ensure that the equipment is appropriately connected to earth.
2. The equipment shall not be exposed to vibrations exceeding 5m/sec^2
3. The equipment shall be protected from mechanical impact in service by location or suitable guarding.
4. To prevent damage being caused to the regulator, which may result in an ignition risk, it is the user's responsibility to ensure the equipment is operated in accordance with the manufacturer's instructions and recommendations.
5. The equipment has flamepaths which differ from those in IEC 60079-1:2014. The manufacturer, Pressure Tech, shall be contacted for guidance when maintaining the flamepaths.

Annexe to: IECEx SIR 15.0078X Issue 0
Applicant: Pressure Tech Limited
Apparatus: Heated Regulator Assembly, XHR-300, XHR-301, XHR-310 and XHR-311



The XHR-300, XHR-301, XHR-310 and XHR-311 pressure regulators are similar in construction, varying only in the arrangement of the pressure sensor and main valve assemblies. In particular, the XHR-300 and XHR-310 are diaphragm sensed pressure regulators, while the XHR-301 and XHR-311 are piston sensed pressure regulators. The XHR-300 and XHR-301 main valve assembly includes a cone seat design, while the XHR-310 and XHR-311 pressure regulators include a disc type valve assembly. The operating parameters of the Heated Regulator Assembly range are listed in Table 1.

The model number can be broken down as follows:



The flameproof enclosure is employed to house the control equipment for the heater cartridges (probes). The heater cartridges protrude from the flameproof enclosure via two 3/8" BSP threaded flamepaths, access to the heaters within is provided by a cylindrical flamepath secured by a hexagonal threaded locking nut. The heater cartridges are installed into the body of the pressure regulator. The flameproof enclosure/heater cartridge combination contains all of the electrical equipment. The pressure regulator contains no electrical equipment.

The flameproof enclosure provides up to three, M20 x 1.5, threaded entry points for the installation of suitably certified cable entry devices.

The regulator can be used to regulate any gas or liquid that is compatible with the materials of construction.

Table 1 – Heater Regulator Assemblies

Model Ref.	Electrical ratings	Regulator Pressure	
		Maximum Inlet Pressure	Maximum Outlet Pressure
XHR-300	115 Vac 3 A, 230 Vac 3A	300 bar	35 bar
XHR-301	115 Vac 3 A, 230 Vac 3A	300 bar	150 bar
XHR-310	115 Vac 3 A, 230 Vac 3A	414 bar	35 bar
XHR-311	115 Vac 3 A, 230 Vac 3A	414 Bar	150 bar

Sira Certification Service

Unit 6, Hawarden Industrial Park,
Hawarden, CH5 3US, United Kingdom

Tel: +44 (0) 1244 670 900
Fax: +44 (0) 1244 539 301
Email: ukinfo@csagroup.org
Web: www.csagroupuk.org

Annexe to: IECEX SIR 15.0078X Issue 0
Applicant: Pressure Tech Limited
Apparatus: Heated Regulator Assembly, XHR-300,
XHR-301, XHR-310 and XHR-311



Conditions Of Manufacture

The Manufacturer shall comply with the following:

- i. This certificate relies on the following previously certified product. It is therefore the responsibility of the manufacturer to continually monitor the status of the certification associated with this product, and the manufacturer shall inform Sira of any modifications of the product that may impinge upon the explosion safety design of their products. In addition, the enclosure's certificate shall maintain the attributes listed in the table below.

Item	Certificate Number	Key attributes
Cor.Tem Enclosure Type CCA ESECUZ	IECEX CES 14.0012U	EEx d IIC, group II Cat 2 G

- ii. The manufacturer shall provide the end-user and/or installer with an appropriate copy of the certificate for the certified flameproof enclosure.

Date: 25 August 2015

Page 2 of 2

Sira Certification Service

Unit 6, Hawarden Industrial Park,
Hawarden, CH5 3US, United Kingdom

Tel: +44 (0) 1244 670 900
Fax: +44 (0) 1244 539 301
Email: ukinfo@csagroup.org
Web: www.csagroupuk.org

Form 9530 Issue 1